

## Safety data sheet according to UK REACH

Printing date 11.10.2024

Version number 2 (replaces version 1)

Revision: 11.10.2024

### \* SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** Clarke Hydraulic Oil HP 32 - 5Ltr
- **Article number:** 3050835
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Product category** PC17 Hydraulic fluids
- **Application of the substance / the mixture** Hydraulic fluid
- **Uses advised against** Processes involving extreme heat use advised against.
- **Details of the supplier of the safety data sheet**
- **Supplier:**  
Clarke International  
Hemnall Street  
Epping  
Essex  
CM16 4LG  
Tel: 0044 1992 565300
- **Further information obtainable from:** Product safety department.
- **Emergency telephone number:**  
Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111  
In Scotland: NHS 24 - dial 111

### SECTION 2: Hazards identification

- **Classification of the substance or mixture**  
The product is not classified, according to the Globally Harmonised System (GHS).
- **Label elements**
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### \* SECTION 3: Composition/information on ingredients

- **Mixtures**
- **Description:**  
A blend of highly refined mineral oils with multifunctional additives.  
The ingredients are not classified as hazardous or are below disclosure limits.
- **Dangerous components:** Void

### \* SECTION 4: First aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.

(Contd. on page 2)

GB

## **Safety data sheet according to UK REACH**

Printing date 11.10.2024

Version number 2 (replaces version 1)

Revision: 11.10.2024

**Trade name: Clarke Hydraulic Oil HP 32 - 5Ltr**

(Contd. of page 1)

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Check for and remove any contact lenses.  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Wash mouth out with water.  
Do not induce vomiting; call for medical help immediately.  
If vomiting occurs spontaneously, keep head below hips to prevent aspiration.
- **Information for doctor:**  
High pressure injection injuries of mineral and synthetic oils through the skin require prompt surgical intervention and possibly steroid therapy, to minimise tissue damage and loss of function. Because entry wounds are small and do not reflect the seriousness of the underlying damage, surgical exploration to determine the extent of involvement may be necessary. Local anaesthetics or hot soaks should be avoided because they can contribute to swelling, vasospasm and ischaemia. Prompt surgical decompression, debridement and evacuation of foreign material should be performed under general anaesthetics, and wide exploration is essential.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### **SECTION 5: Firefighting measures**

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture**  
Combustible  
In case of fire, the following can be released:  
Carbon monoxide (CO)  
Phosphorous oxides  
Sulphur Oxides (SO<sub>x</sub>)
- **Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.  
Do not inhale explosion gases or combustion gases.
- **Additional information**  
Cool endangered receptacles with water spray.  
Collect contaminated fire fighting water separately. It must not enter the sewage system.

### **SECTION 6: Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures**  
Particular danger of slipping on leaked/spilled product.

(Contd. on page 3)

GB

## **Safety data sheet according to UK REACH**

Printing date 11.10.2024

Version number 2 (replaces version 1)

Revision: 11.10.2024

**Trade name: Clarke Hydraulic Oil HP 32 - 5Ltr**

(Contd. of page 2)

Ensure adequate ventilation

**· Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

**· Methods and material for containment and cleaning up:**

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

**· Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **\* SECTION 7: Handling and storage**

**· Precautions for safe handling**

Prevent formation of aerosols.

Ensure good ventilation/exhaustion at the workplace.

**· Information about fire - and explosion protection:** No special measures required.

**· Conditions for safe storage, including any incompatibilities**

**· Storage:**

**· Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.

**· Information about storage in one common storage facility:** Store away from oxidising agents.

**· Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

Store in a bunded area.

**· Storage class: 10**

**· Specific end use(s)** No further relevant information available.

### **\* SECTION 8: Exposure controls/personal protection**

**· Control parameters**

**· Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**· Additional information:** The lists valid during the making were used as basis.

**· Exposure controls**

**· Appropriate engineering controls** No further data; see section 7.

**· Individual protection measures, such as personal protective equipment**

**· General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Do not carry product impregnated cleaning cloths in trouser pockets.

Do not eat, drink, smoke or sniff while working.

Do not inhale gases / fumes / aerosols.

**· Respiratory protection:** Not necessary if room is well-ventilated.

(Contd. on page 4)

GB

## Safety data sheet according to UK REACH

Printing date 11.10.2024

Version number 2 (replaces version 1)

Revision: 11.10.2024

**Trade name: Clarke Hydraulic Oil HP 32 - 5Ltr**

(Contd. of page 3)

**· Hand protection**

Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**· Material of gloves**

Nitrile rubber, NBR

Neoprene gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

**· Penetration time of glove material**

Break-through time: &gt; 480 minutes

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**· Eye/face protection**

Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

**· Body protection:**

Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

**· Environmental exposure controls** Do not allow to enter drains, sewers or watercourses.**SECTION 9: Physical and chemical properties****· Information on basic physical and chemical properties****· General Information****· Physical state**

Fluid

**· Colour:**

Brown

**· Odour:**

Mineral-oil-like

**· Odour threshold:**

Not determined.

**· Melting point/freezing point:**

Undetermined.

**· Boiling point or initial boiling point and boiling range**

Undetermined.

**· Flammability**

Not applicable.

**· Lower and upper explosion limit**

Not determined.

**· Lower:**

Not determined.

**· Upper:**

&gt; 100 °C

**· Flash point:**

Not determined.

**· Decomposition temperature:**

Not determined.

**· pH**

Not determined.

(Contd. on page 5)

GB

## Safety data sheet according to UK REACH

Printing date 11.10.2024

Version number 2 (replaces version 1)

Revision: 11.10.2024

**Trade name: Clarke Hydraulic Oil HP 32 - 5Ltr**

(Contd. of page 4)

<ul style="list-style-type: none"> <li><b>· Viscosity:</b></li> <li><b>· Kinematic viscosity at 40 °C</b></li> <li><b>· Dynamic:</b></li> <li><b>· Solubility</b></li> <li><b>· water:</b></li> <li><b>· Partition coefficient n-octanol/water (log value)</b></li> <li><b>· Vapour pressure:</b></li> <li><b>· Density and/or relative density</b></li> <li><b>· Density at 20 °C:</b></li> <li><b>· Relative density</b></li> <li><b>· Vapour density</b></li> </ul>	<ul style="list-style-type: none"> <li>32 mm<sup>2</sup>/s</li> <li>Not determined.</li> <li>Not miscible or difficult to mix.</li> <li>Not determined.</li> <li>Not determined.</li> <li>0.893 g/cm<sup>3</sup></li> <li>Not determined.</li> <li>Not determined.</li> </ul>
<b>· Other information</b>	<p>NOTE: The physical data presented above are typical values and should not be construed as a specification.</p>
<ul style="list-style-type: none"> <li><b>· Appearance:</b></li> <li><b>· Form:</b></li> <li><b>· Important information on protection of health and environment, and on safety.</b></li> <li><b>· Ignition temperature:</b></li> <li><b>· Explosive properties:</b></li> </ul>	<ul style="list-style-type: none"> <li>Fluid</li> <li>Not determined.</li> <li>Product is not explosive. However, formation of explosive air/vapour mixtures are possible.</li> </ul>
<ul style="list-style-type: none"> <li><b>· Solvent content:</b></li> <li><b>· VOC (EC)</b></li> <li><b>· Change in condition</b></li> <li><b>· Evaporation rate</b></li> </ul>	<ul style="list-style-type: none"> <li>0.00 %</li> <li>Not determined.</li> </ul>
<b>· Information with regard to physical hazard classes</b>	
<ul style="list-style-type: none"> <li><b>· Explosives</b></li> <li><b>· Flammable gases</b></li> <li><b>· Aerosols</b></li> <li><b>· Oxidising gases</b></li> <li><b>· Gases under pressure</b></li> <li><b>· Flammable liquids</b></li> <li><b>· Flammable solids</b></li> <li><b>· Self-reactive substances and mixtures</b></li> <li><b>· Pyrophoric liquids</b></li> <li><b>· Pyrophoric solids</b></li> <li><b>· Self-heating substances and mixtures</b></li> <li><b>· Substances and mixtures, which emit flammable gases in contact with water</b></li> <li><b>· Oxidising liquids</b></li> <li><b>· Oxidising solids</b></li> <li><b>· Organic peroxides</b></li> <li><b>· Corrosive to metals</b></li> <li><b>· Desensitised explosives</b></li> </ul>	<ul style="list-style-type: none"> <li>Void</li> </ul>

\*

### SECTION 10: Stability and reactivity

- Reactivity** No further relevant information available.

(Contd. on page 6)

GB

## Safety data sheet according to UK REACH

Printing date 11.10.2024

Version number 2 (replaces version 1)

Revision: 11.10.2024

**Trade name:** Clarke Hydraulic Oil HP 32 - 5Ltr

(Contd. of page 5)

- Chemical stability**
- Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- Possibility of hazardous reactions** No dangerous reactions known.
- Conditions to avoid** Heat and static discharge.
- Incompatible materials:**
  - Strong acids.
  - Strong bases.
  - Strong oxidising agents.
- Hazardous decomposition products:**
  - Carbon monoxide and carbon dioxide
  - Phosphorus oxides (e.g. P2O5)
  - Sulphur oxides (SOx)

### \* SECTION 11: Toxicological information

- Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- Acute toxicity** Based on available data, the classification criteria are not met.

#### **LD/LC50 values relevant for classification:**

##### **Highly refined mineral oil\*\***

Oral	LD50	> 2,000 mg/kg (rat)
Dermal	LD50	> 5,000 mg/kg (rabbit)
Inhalative	LC50/4 h	> 20 mg/l (rat)

#### **Primary irritant effect:**

- Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- Carcinogenicity** Based on available data, the classification criteria are not met.
- Reproductive toxicity** Based on available data, the classification criteria are not met.
- STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure** Based on available data, the classification criteria are not met.
- Aspiration hazard** Based on available data, the classification criteria are not met.
- Subacute to chronic toxicity:** Prolonged or repeated skin contact may irritate and cause dermatitis.

#### **Information on other hazards**

#### **Endocrine disrupting properties**

None of the ingredients are listed.

### \* SECTION 12: Ecological information

- Toxicity**
- Aquatic toxicity:** No further relevant information available.
- Persistence and degradability** Not easily biodegradable
- Bioaccumulative potential** Product is not expected to bioaccumulate.
- Mobility in soil** No further relevant information available.
- Results of PBT and vPvB assessment**
- PBT:** Not applicable.

(Contd. on page 7)

GB

## Safety data sheet according to UK REACH

Printing date 11.10.2024

Version number 2 (replaces version 1)

Revision: 11.10.2024

**Trade name: Clarke Hydraulic Oil HP 32 - 5Ltr**

(Contd. of page 6)

- **vPvB:** Not applicable.

- **Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

- **Other adverse effects**

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### \* SECTION 13: Disposal considerations

- **Waste treatment methods**

- **Recommendation**

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

Delivery of waste oil to officially authorised collectors only.

- **Uncleaned packaging:**

- **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

- **UN number or ID number**

- **ADR/RID/ADN, ADN, IMDG, IATA** Not applicable

- **UN proper shipping name**

- **ADR/RID/ADN, ADN, IMDG, IATA** Not applicable

- **Transport hazard class(es)**

- **ADR/RID/ADN, ADN, IMDG, IATA**

- **Class** Not applicable

- **Packing group**

- **ADR/RID/ADN, IMDG, IATA** Not applicable

(Contd. on page 8)

GB

## Safety data sheet according to UK REACH

Printing date 11.10.2024

Version number 2 (replaces version 1)

Revision: 11.10.2024

**Trade name:** Clarke Hydraulic Oil HP 32 - 5Ltr

(Contd. of page 7)

<b>Environmental hazards:</b>	
<b>Marine pollutant:</b>	No
<b>Special precautions for user</b>	Not applicable.
<b>Maritime transport in bulk according to IMO instruments</b>	Not applicable.
<b>Transport/Additional information:</b>	Not dangerous according to the above specifications.
<b>UN "Model Regulation":</b>	Not applicable

### \* SECTION 15: Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture**
- Poisons Act**
- Regulated explosives precursors**  
None of the ingredients are listed.
- Regulated poisons**  
None of the ingredients are listed.
- Reportable explosives precursors**  
None of the ingredients are listed.
- Reportable poisons**  
None of the ingredients are listed.
- GHS label elements** Void
- Hazard pictograms** Void
- Signal word** Void
- Hazard statements** Void
- Directive 2012/18/EU**
- Named dangerous substances - ANNEX I** None of the ingredients are listed.
- Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### \* SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

**Department issuing SDS:** Product safety department.

**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 9)

GB

**Safety data sheet  
according to UK REACH**

Printing date 11.10.2024

Version number 2 (replaces version 1)

Revision: 11.10.2024

**Trade name: Clarke Hydraulic Oil HP 32 - 5Ltr**

(Contd. of page 8)

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

• \* Data compared to the previous version altered.

GB