

Safety data sheet according to UK REACH

Printing date 11.10.2024

Version number 4 (replaces version 3)

Revision: 11.10.2024

* **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **Product identifier**
- **Trade name:** Clarke API SF 10W-30 Motor Oil - 1Ltr
- **Article number:** 3050845
- **Registration number** Mixture
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Product category** PC24 Lubricants, greases, release products
- **Application of the substance / the mixture** Lubricant
- **Uses advised against** Processes involving extreme heat use advised against.

- **Details of the supplier of the safety data sheet**

· **Supplier:**
Clarke International
Hemnall Street
Epping
Essex
CM16 4LG
Tel: 0044 1992 565300

- **Further information obtainable from:** Product safety department.

- **Emergency telephone number:**

Members of the public seeking specific information on poisons should contact: In

England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

* **SECTION 2: Hazards identification**

- **Classification of the substance or mixture**

The product is not classified, according to the Globally Harmonised System (GHS).

- **Label elements**

- **Hazard pictograms** Void

- **Signal word** Void

- **Hazard statements** Void

- **Additional information:**

EUH208 Contains Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

* **SECTION 3: Composition/information on ingredients**

- **Mixtures**

- **Description:** A blend of highly refined mineral oils with multifunctional additives.

(Contd. on page 2)

GB

Safety data sheet according to UK REACH

Printing date 11.10.2024

Version number 4 (replaces version 3)

Revision: 11.10.2024

Trade name: Clarke API SF 10W-30 Motor Oil - 1Ltr

(Contd. of page 1)

. Dangerous components:		
	Highly refined low-viscosity mineral oil**  Asp. Tox. 1, H304, EUH066	2.5 – 10%
EC number: 947-519-7 Reg.nr.: 01-2119521205-53-XXXX	Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts  Acute Tox. 4, H312; Skin Sens. 1B, H317 Specific concentration limit: Skin Sens. 1B; H317: C ≥ 10 %	0.1 – 1%

. Additional information:

**Mineral oil may be described by one or more of the following: EC No. 265-157-1, Distillates (petroleum), hydrotreated heavy paraffinic; EC No. 265-169-7, Distillates (petroleum), solvent-dewaxed heavy paraffinic; EC No. 265-158-7, Distillates (petroleum), hydrotreated light paraffinic; EC No. 265-159-2, Distillates (petroleum), solvent-dewaxed light paraffinic.

Mineral oil contains <3% DMSO extract as measured by IP346.

* SECTION 4: First aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
- **After eye contact:**
Check for and remove any contact lenses.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Wash mouth out with water
Do not induce vomiting; call for medical help immediately.
If vomiting occurs spontaneously, keep head below hips to prevent aspiration.
- **Information for doctor:** Treat symptomatically and supportively.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

* SECTION 5: Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture**
Combustible
In case of fire, the following can be released:
Carbon monoxide (CO)
Sulphur Oxides (SO_x)
Toxic metal oxide smoke
Phosphorous oxides

(Contd. on page 3)

GB

Safety data sheet according to UK REACH

Printing date 11.10.2024

Version number 4 (replaces version 3)

Revision: 11.10.2024

Trade name: Clarke API SF 10W-30 Motor Oil - 1Ltr

(Contd. of page 2)

Nitrogen oxides (NOx)

· Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Do not inhale explosion gases or combustion gases.

· Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

Ensure adequate ventilation

· Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· Precautions for safe handling

Prevent formation of aerosols.

Ensure good ventilation/exhaustion at the workplace.

· Information about fire - and explosion protection: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.

· Information about storage in one common storage facility: Store away from oxidising agents.

· Further information about storage conditions:

Store in a bunded area.

Store in cool, dry conditions in well sealed receptacles.

· Storage class: 10

· Specific end use(s) No further relevant information available.

GB

(Contd. on page 4)

Safety data sheet according to UK REACH

Printing date 11.10.2024

Version number 4 (replaces version 3)

Revision: 11.10.2024

Trade name: Clarke API SF 10W-30 Motor Oil - 1Ltr

(Contd. of page 3)

* SECTION 8: Exposure controls/personal protection

- **Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **DNELs**

Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts

Oral	Long-term systemic effects	2.5 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	12.5 mg/kg bw/day (general population) 25 mg/kg bw/day (worker)
	Long-term local effects	1.05 mg/kg bw/day (worker)
	Long-term local effects	526 µg/kg bw/day (general population)
Inhalative	Long-term systemic effects	4.35 mg/m ³ (general population) 17.63 mg/m ³ (worker)

- **PNECs**

Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts

Freshwater	100 µg/L
Freshwater - Intermittent releases	1 mg/L
Marine water	100 µg/L
Marine Water - Intermittent releases	1 mg/L
Sewage Treatment Plant	1,000 mg/L
Sediment (freshwater)	166.32 mg/kg
Sediment (marine water)	166.32 mg/kg
Soil	33.12 mg/kg

- **Additional information:** The lists valid during the making were used as basis.

- **Exposure controls**

- **Appropriate engineering controls** No further data; see section 7.

- **Individual protection measures, such as personal protective equipment**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Do not carry product impregnated cleaning cloths in trouser pockets.

Do not eat, drink, smoke or sniff while working.

Do not inhale gases / fumes / aerosols.

- **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.

- **Hand protection**



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)

Safety data sheet according to UK REACH

Printing date 11.10.2024

Version number 4 (replaces version 3)

Revision: 11.10.2024

Trade name: Clarke API SF 10W-30 Motor Oil - 1Ltr

(Contd. of page 4)

· Material of gloves

Nitrile rubber, NBR

Neoprene gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

· Body protection:



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

· Environmental exposure controls Do not allow to enter drains, sewers or watercourses.

* SECTION 9: Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Physical state

Fluid

· Colour:

Brown

· Odour:

Mineral-oil-like

· Odour threshold:

Not determined.

· Melting point/freezing point:

Undetermined.

· Boiling point or initial boiling point and boiling range

Undetermined.

· Flammability

Not applicable.

· Lower and upper explosion limit

Not determined.

· Lower:

Not determined.

· Upper:

Not determined.

· Flash point:

> 180 °C

· Auto-ignition temperature:

> 250 °C

· Decomposition temperature:

Not determined.

· pH

Not determined.

· Viscosity:

80.2 mm²/s

· Kinematic viscosity at 40 °C

Not determined.

· Dynamic:

Not determined.

· Solubility

Not miscible or difficult to mix.

· water:

Not determined.

· Partition coefficient n-octanol/water (log value)

(Contd. on page 6)

GB

Safety data sheet according to UK REACH

Printing date 11.10.2024

Version number 4 (replaces version 3)

Revision: 11.10.2024

Trade name: Clarke API SF 10W-30 Motor Oil - 1Ltr

(Contd. of page 5)

<ul style="list-style-type: none"> · Vapour pressure: · Density and/or relative density · Density at 20 °C: · Relative density · Vapour density 	Not determined. 0.882 g/cm ³ Not determined. Not determined.
<ul style="list-style-type: none"> · Other information 	NOTE: The physical data presented above are typical values and should not be construed as a specification.
<ul style="list-style-type: none"> · Appearance: · Form: 	Fluid
<ul style="list-style-type: none"> · Important information on protection of health and environment, and on safety. 	
<ul style="list-style-type: none"> · Ignition temperature: · Explosive properties: 	Product is not self-igniting. Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
<ul style="list-style-type: none"> · Solvent content: · VOC (EC) · Change in condition · Evaporation rate 	0.00 % Not determined.
<ul style="list-style-type: none"> · Information with regard to physical hazard classes 	
<ul style="list-style-type: none"> · Explosives · Flammable gases · Aerosols · Oxidising gases · Gases under pressure · Flammable liquids · Flammable solids · Self-reactive substances and mixtures · Pyrophoric liquids · Pyrophoric solids · Self-heating substances and mixtures · Substances and mixtures, which emit flammable gases in contact with water · Oxidising liquids · Oxidising solids · Organic peroxides · Corrosive to metals · Desensitised explosives 	Void Void Void Void Void Void Void Void Void Void Void Void Void Void Void Void Void Void Void Void

*

SECTION 10: Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:**
Strong acids.

(Contd. on page 7)

GB

**Safety data sheet
according to UK REACH**

Printing date 11.10.2024

Version number 4 (replaces version 3)

Revision: 11.10.2024

Trade name: Clarke API SF 10W-30 Motor Oil - 1Ltr

(Contd. of page 6)

Strong bases.

Strong oxidising agents.

· Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

Phosphorus oxides (e.g. P2O5)

Sulphur oxides (SOx)

Toxic metal oxide smoke

SECTION 11: Toxicological information**· Information on hazard classes as defined in Regulation (EC) No 1272/2008**

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:**Highly refined mineral oil****

Oral	LD50	> 2,000 mg/kg (rat)
Dermal	LD50	> 5,000 mg/kg (rabbit)
Inhalative	LC50/4 h	> 20 mg/l (rat)

Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts

Oral	LD50	10,000 mg/kg (rat)
Dermal	LD50	2,000 mg/kg (rat)

· Primary irritant effect:

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity Based on available data, the classification criteria are not met.

· STOT-single exposure Based on available data, the classification criteria are not met.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

· Subacute to chronic toxicity: Prolonged or repeated skin contact may irritate and cause dermatitis.

· Additional toxicological information:

Prolonged and repeated contact with USED engine oils may cause serious skin disorders, including dermatitis and cancer. Engine oils are known to accumulate polycyclic aromatic hydrocarbons in use and there is evidence that used crankcase oils from petrol engines are carcinogenic to animals. Used engine oils fall within the definition of 'carcinogen' contained in reg2(1) of COSHH and thus the Carcinogens ACOP applies. Precautions advised by the Enforcing Authorities include controlling exposure by systems of work, personal protection and personal hygiene.

· Information on other hazards**· Endocrine disrupting properties**

CAS: 121158-58-5 Tetrapropenylphenol

List I

GB

(Contd. on page 8)

Safety data sheet according to UK REACH

Printing date 11.10.2024

Version number 4 (replaces version 3)

Revision: 11.10.2024

Trade name: Clarke API SF 10W-30 Motor Oil - 1Ltr

(Contd. of page 7)

*** SECTION 12: Ecological information**

- Toxicity**

- Aquatic toxicity:**

Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts

EC50 (96 h)	1,000 mg/l (Algae)
-------------	--------------------

- Persistence and degradability** Not easily biodegradable

- Bioaccumulative potential** Product is not expected to bioaccumulate.

- Mobility in soil** No further relevant information available.

- Results of PBT and vPvB assessment**

- PBT:** Not applicable.

- vPvB:** Not applicable.

- Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.

- Other adverse effects**

- Additional ecological information:**

- General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

*** SECTION 13: Disposal considerations**

- Waste treatment methods**

- Recommendation:**

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

Delivery of waste oil to officially authorised collectors only.

- Uncleaned packaging:**

- Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

- Recommended cleansing agents:** Water, if necessary together with cleansing agents.

GB

(Contd. on page 9)

Safety data sheet according to UK REACH

Printing date 11.10.2024

Version number 4 (replaces version 3)

Revision: 11.10.2024

Trade name: Clarke API SF 10W-30 Motor Oil - 1Ltr

(Contd. of page 8)

SECTION 14: Transport information

· UN number or ID number	
· ADR/RID/ADN, ADN, IMDG, IATA	Not applicable
· UN proper shipping name	
· ADR/RID/ADN, ADN, IMDG, IATA	Not applicable
· Transport hazard class(es)	
· ADR/RID/ADN, ADN, IMDG, IATA	
· Class	Not applicable
· Packing group	
· ADR/RID/ADN, IMDG, IATA	Not applicable
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Not applicable

*

SECTION 15: Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Poisons Act

- **Regulated explosives precursors**

None of the ingredients are listed.

- **Regulated poisons**

None of the ingredients are listed.

- **Reportable explosives precursors**

None of the ingredients are listed.

- **Reportable poisons**

None of the ingredients are listed.

- **GHS label elements** Void

- **Hazard pictograms** Void

- **Signal word** Void

- **Hazard statements** Void

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients are listed.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

GB

(Contd. on page 10)

Safety data sheet according to UK REACH

Printing date 11.10.2024

Version number 4 (replaces version 3)

Revision: 11.10.2024

Trade name: Clarke API SF 10W-30 Motor Oil - 1Ltr

(Contd. of page 9)

*** SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

• Relevant phrases

- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H317 May cause an allergic skin reaction.
- EUH066 Repeated exposure may cause skin dryness or cracking.

• Department issuing SDS: Product safety department.

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 4: Acute toxicity – Category 4

Skin Sens. 1B: Skin sensitisation – Category 1B

Asp. Tox. 1: Aspiration hazard – Category 1

• * Data compared to the previous version altered.

GB