

SAFETY DATA SHEET

This Safety Data Sheet complies with Regulation (EC) 1907/2006(REACH), Commission Regulation (EU) 2020/878

SDS No : SDS-24-11

Issue Date : 2024-11-01

SECTION 1 : Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Trade Name : Mild Steel Welding Wire (3050522, 6000475, 6000476, 8132070, 8132100)

1.2 Relevant Identified uses of the substance or mixture and uses advised against

Relevant Identified uses : Arc Welding

1.3 Details of the supplier of the safety data sheet

NAME : CHANGZHOU CITY YUNHE WELDING MATERIAL CO.,LTD.

ADDRESS : NO.802 DAANTANG ROAD, YAO GUAN TOWN, WUJIN DISTRICT, CHANGZHOU, JIANGSU, CHINA

Tel. +86-519-88713999, Fax. +86-519-88700700

WEBSITE : www.czyunhe.com

1.4 Emergency telephone number : +86-519-88705582

Available outside office hours : Yes

SECTION 2 : Hazard Identification

2.1 Classification of the substance or mixture

The products described in Section 1 are not classified as hazardous according to applicable GHS hazard classification criteria as required and defined in OSHA Hazard Communication Standard (29 CFR Part 1910.1200).

2.2 Label elements

Hazard Symbol – No symbol required

Signal Word – No signal word required

Hazard Statement – Not applicable

Precautionary Statement – Not Applicable

2.3 Other hazards

ARC RAYS

The welding arc can injure eyes and burn skin.

ELECTRIC SHOCK

Arc welding and associated processes can kill. See Section 8.

WELDING FUME AND GASES

Avoid breathing welding fumes and gases, they may be dangerous to your health. Always use adequate ventilation.

Always use appropriate personal protective equipment.

Reducing exposure to welding fume (OSHA Fact Sheet, DSG FS-3647 03/2013)

- Workers should position themselves to avoid breathing welding fume and gases. For example, workers should stay upwind when welding in open or outdoor environments.

SAFETY DATA SHEET

This Safety Data Sheet complies with Regulation (EC) 1907/2006(REACH), Commission Regulation (EU) 2020/878

SDS No : SDS-24-11

Issue Date : 2024-11-01

- General ventilation, the natural or forced movement of fresh air, can reduce fume and gas levels in the work area. Welding outdoors or in open work spaces does not guarantee adequate ventilation. In work areas without ventilation and exhaust systems, welders should use natural drafts along with proper positioning to keep fume and gases away from themselves and other workers.
- Local exhaust ventilation systems can be used to remove fume and gases from the welder's breathing zone. Keep fume hoods, fume extractor guns and vacuum nozzles close to the plume source to remove the maximum amount of fume and gases. Portable or flexible exhaust systems can be positioned so that fume and gases are drawn away from the welder. Keep exhaust ports away from other workers.
- Consider substituting a lower fume-generating or less toxic welding type or consumable.
- Do not weld in confined spaces without ventilation. Refer to applicable OSHA regulations (see list below).
- Respiratory protection may be required if work practices and ventilation do not reduce exposures to safe levels.

SECTION 3 : Composition/information on ingredients

3.1 Substance : Not relevant

3.2 Mixtures : The mixture contains these substances

Substance name	CAS/EC No.	Conc.(Wt%)	Classification	Hazard statement (H-phrase)	Notes
Iron	7439-89-6 / 231-096-4	94 to 99	-	-	-
Manganese	7439-96-5 / 231-105-1	1 to 2	-	-	-
Silicon	7440-21-3 / 231-130-8	0.1 to 1	-	-	-

* For full text of H-phrase : see SECTION 16.

SECTION 4 : First aid measures

4.1 Description of first aid measures

INHALATION (during welding)

Remove to fresh air and keep at rest. If breathing is difficult or has stopped, administer artificial respiration as necessary. Seek medical attention.

SKIN CONTACT (during welding)

Wash contaminated area thoroughly with soap and water. Remove and wash contaminated clothing. If a persistent rash or irritation occurs, seek medical attention.

EYE CONTACT (during welding)

Immediately flush eyes with large amounts of running water for at least 15 minutes, lifting the upper and lower eyelids. Get medical attention

INGESTION

Ingestion is considered unlikely due to product form. However, if swallowed do not induce vomiting. Seek medical attention. Advice to doctor: treat symptomatically.

SAFETY DATA SHEET

This Safety Data Sheet complies with Regulation (EC) 1907/2006(REACH), Commission Regulation (EU) 2020/878

SDS No : SDS-24-11

Issue Date : 2024-11-01

4.2 Most important symptoms and effects, both acute and delayed

Acute exposure to welding fume and gases can result in eye, nose and throat irritation, dizziness and nausea. Prolonged exposure to welding fume may cause lung damage and various types of cancer, including lung, larynx and urinary tract.

Health effects from certain fumes may include metal fume fever, stomach ulcers, kidney damage and nervous system damage.

Prolonged exposure to manganese fume can cause Parkinson' s-like symptoms.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 : Firefighting measures

This Product as shipped are nonreactive, nonflammable, non-explosive and essentially nonhazardous until welded.

5.1 Extinguishing media

Suitable extinguishing media :

Use extinguishing media appropriate for surrounding fire (dry chemical, foam, water spray, carbon dioxide).

Unsuitable extinguishing media :

No data available.

5.3 Special hazards arising from the substance or mixture

Welding arcs and sparks can ignite combustibles and flammable products.

5.3 Advice for firefighters

In the event of a fire, wear self-contained breathing apparatus and protective clothing.

SECTION 6 : Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For Non-emergency personnel :

Wear appropriate personal protective equipment as specified in Section 8. Ensure adequate ventilation.

For Emergency responders :

No data available.

6.2 Environmental precautions

Avoid dispersal of spilled material and contact with soil, ground and surface water, drains and sewers.

SAFETY DATA SHEET

This Safety Data Sheet complies with Regulation (EC) 1907/2006(REACH), Commission Regulation (EU) 2020/878

SDS No : SDS-24-11

Issue Date : 2024-11-01

6.3 Method and material for containment and cleaning up

Advice on how to contain a spill :

Covering of drains

Advice on how to clean up a spill :

Take up mechanically.

Other information relating to spill and release :

Collect the material in labeled containers and dispose of according to local and regional authority requirements

6.4 Reference to other sections

Refer to section 8 of the SDS

SECTION 7 : Handling and storage

7.1 Precaution for safe handling

Welding may produce fumes, gases and dust hazardous to health. Avoid breathing these fumes, gases and dust.

Use adequate ventilation. Avoid contact with skin, eyes and clothing. Do not eat, drink and smoke in work areas.

Wear appropriate personal protective equipment as specified in Section 8.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool, dry and well-ventilated place. Keep away from incompatible materials such as acids and strong bases.

Keep away from heat and open flame.

7.3 Specific end use(s)

Arc Welding

SECTION 8 : Exposure controls and protection

8.1 Control parameters

The following limits can be used as guidance. Unless noted, all values are for 8 hour time weighted averages (TWA).

Substance name	CAS/EC No.	Source	Exposure Limit Values	Source
Iron	7439-89-6 / 231-096-4	OSHA	-	No PEL
Manganese	7439-96-5 / 231-105-1	ACGIH	0.1 mg/m ³	elemental and inorganic
		ACGIH	0.02 mg/m ³	as Mn
Silicon	7440-21-3 / 231-130-8	OSHA	15 mg/m ³	Total dust

SAFETY DATA SHEET

This Safety Data Sheet complies with Regulation (EC) 1907/2006(REACH), Commission Regulation (EU) 2020/878

SDS No : SDS-24-11

Issue Date : 2024-11-01

8.2 Exposure control

Ventilation :

Use enough ventilation or local exhaust during all welding operations to keep the fumes and gases from the worker's breathing zone and the general area. Train the welder to keep his head out of the fumes.

Respiratory protection :

If ventilation is insufficient, use appropriate respirator or self-contained breathing apparatus.

Eye/face protection :

Wear eye protection during welding operations, helmet and/or face shield with filter lens shade number 12 or darker.

Skin protection :

Wear appropriate protective (welding) gloves during welding.

Other (Protective Clothing) :

Wear hand, head and body protection which help to prevent injury from radiation, sparks and electrical shock. (See ANSI Z49.1.)

At a minimum this includes welder's gloves and a protective face shield, and may include arm protectors, aprons, hats, shoulder protection as well as dark non-synthetic clothing.

Train the welder not to touch live electrical parts and to insulate himself from work and ground.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

SECTION 9 : Physical and chemical properties

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Physical state	solid (massive form)
Colour	No data available
Odour	No data available
Melting point/ freezing point	>1000°C(1800F)
Boiling point or initial boiling point and boiling point range	No data available
Flammability	No data available
Lower and upper explosive limits	No data available
Flash point	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
PH	No data available
Kinematic viscosity	No data available
Solubility	No data available
Partition coefficient n-octanol/water	No data available
Vapour pressure	No data available
Density and/or relative density	No data available
Relative vapour density	No data available
Particle characteristics	No data available

SAFETY DATA SHEET

This Safety Data Sheet complies with Regulation (EC) 1907/2006(REACH), Commission Regulation (EU) 2020/878

SDS No : SDS-24-11

Issue Date : 2024-11-01

9.2 Other information

No data available.

SECTION 10 : Stability and reactivity

10.1 Reactivity

This product is non-reactive under normal conditions of use, storage and transport.

10.2 Chemical stability

The product is stable under normal conditions.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Avoid exposure to heat or other sources of contamination.

10.5 Incompatible materials

No data available.

10.6 Hazardous decomposition products

Metal oxide fumes and gases are produced during welding.

Hexavalent chromium compounds may be in the welding fume of consumables or base metals which contain chromium.

Nickel compounds may be in the welding fume of consumables or base metals which contain Nickel.

Ozone and nitrogen oxides may be formed by the radiation from the arc during welding.

SECTION 11 : Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity :

Overexposure to welding fumes may result in symptoms such as metal fume fever, dizziness, nausea, dryness or irritation of the nose, throat or eyes.

Skin corrosion/irritation :

No data available.

Serious eye damage/irritation :

No data available.

Respiratory or skin sensitisation :

No data available.

Germ cell mutagenicity :

No data available.

Carcinogenicity :

Arc ray has been reported to cause skin cancer.

Reproductive toxicity :

No data available.

SAFETY DATA SHEET

This Safety Data Sheet complies with Regulation (EC) 1907/2006(REACH), Commission Regulation (EU) 2020/878

SDS No : SDS-24-11

Issue Date : 2024-11-01

STOT-single exposure :

No data available.

STOT-repeated exposure :

No data available.

Aspiration hazard :

No data available.

11.2 Information on other hazards

Manganese :

Inhaling Manganese can irritate the nose, throat and lungs causing coughing, wheezing and/or shortness of breath.

Exposure to Manganese fume can cause a flu-like illness called "metal fume fever"

Repeated exposure can cause permanent brain damage, early symptoms include changes in speech, balance, mood and personality, loss of facial expressions, poor muscle coordination, muscle cramps, twitching and tremors.

The later symptoms are identical to Parkinson's disease.

SECTION 12 : Ecological information

12.1 TOXICITY

Acute toxicity :

No data available.

Chronic toxicity :

No data available.

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Result of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

SAFETY DATA SHEET

This Safety Data Sheet complies with Regulation (EC) 1907/2006(REACH), Commission Regulation (EU) 2020/878

SDS No : SDS-24-11

Issue Date : 2024-11-01

SECTION 13 : Disposal consideration

13.1 Waste treatment methods

Use recycling procedures if available. Discard any product, packaging, disposable container etc. in an environmentally

acceptable manner, Dispose of non-recyclable product in compliance with federal, state, provincial and local regulations.

Residues from welding consumables and processes could accumulate in soil and groundwater.

SECTION 14 : Transport information

The Mixture is not subject to international regulation on transport of dangerous goods.

14.1 UN number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class

Not applicable

14.4 Packaging group

Not applicable

14.5 Environmental hazards

Not applicable

14.6 Special precaution for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15 : Regulatory information

15.1 Safety, health and environmental regulation/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC,93/67/EEC, 93/105/EC and 2000/21/EC.

Clarke International

Hemnal Street, Epping.

Essex, CM16 4LG

Tel: 0208 988 7400

Email: service@clarkeinternational.com

Web: www.clarkeinternational.com